

AA084SD01 Mitsubishi 8.4" 800×600 SVGA Wide Temp Industrial LCD

Model	AA084SD01
Brand	Mitsubishi
Category	MITSUBISHI
Size	8.4"
Resolution	800(RGB)×600, SVGA 119PPI
Brightness	600 (Typ.)(cd/m ²)
Contrast Ratio	600 : 1 (Typ.) (TM)
Viewing Angle	GoodViewat
Lamp Type	WLED , 100K hours , With LED Driver
Signal Interface	LVDS(1ch,6/8-bit),20pinsConnector
Panel Type	a-Si TFT-LCD, LCM
Mass	1.000Kg
Frame Rate	60Hz
Active Area	170.4(H)×127.8(V) mm
Outline	199.5(H)×149(V)×10.2(D) mm
Storage Temp	-30 ~ 80 °C
Operating Temp	-30 ~ 80 °C
Support Color	262K/16.7M, 40% NTSC
Pixel Format	RGB Vertical Stripe
Active Area	170.4(W)×127.8(H) mm
Bezel Opening	174.9(W)×132.2(H) mm
Outline size	199.5(W)×149(H)×10.2(D)
Surface	-

Response Time	-
Best View on	ColorDepth
Work Mode	TN, Normally White, Transmissive
Display Colors	Mass
Weight	RefreshRate
Frequency	GoodViewat
Touchscreen	Without
Signal Type	LVDS(1ch,6/8-bit),20pinsConnector
Voltage Supply	3.3V(Typ.)

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about AA084SD01. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

<https://www.zylcdshop.com>



<https://www.zylcdshop.com>