

BP070WS1-500 BOE 7" a-Si TFT-LCD LCM 1024(RGB)×600 WSVGA 169PPI

| | |
|------------------|-----------------------------------|
| Model | BP070WS1-500 |
| Brand | BOE |
| Category | BOE |
| Size | 7" |
| Resolution | 1024(RGB)×600, WSVGA 169PPI |
| Brightness | 400 cd/m ² (Typ.) |
| Contrast Ratio | 900:1 (Typ.) (TM) |
| Viewing Angle | BestViewon |
| Lamp Type | 5S4P WLED, Without Driver |
| Signal Interface | LVDS(1ch,8-bit),31pinsConnector |
| Panel Type | a-Si TFT-LCD, LCM |
| Mass | 1.500Kg |
| Pixel Format | RGB Vertical Stripe |
| Active Area | 153.6(W)×90(H) mm |
| Bezel Opening | - |
| Outline size | 164.05(W)×100.86(H)×2.5(D) mm |
| Surface | - |
| Response Time | 30 (Typ.)(Tr+Td) |
| Best View on | DisplayColors |
| Work Mode | ADS, Normally Black, Transmissive |
| Display Colors | Frequency |
| Weight | - |
| Frequency | Weight |

| | |
|----------------|---------------------------------|
| Touchscreen | 5S4P WLED, Without Driver |
| Signal Type | LVDS(1ch,8-bit),31pinsConnector |
| Voltage Supply | 3.7V(Typ.) |

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about BP070WS1-500. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

<https://www.zylcdshop.com>



<https://www.zylcdshop.com>