

G104V1-T03 Innolux 10.4"640*480 lcd display panel

Model	G104V1-T03
Brand	INNOLUX
Category	Innolux
Size	10.4"
Resolution	640(RGB)×480, VGA 76PPI
Brightness	500 cd/m ² (Typ.)
Contrast Ratio	1500:1 (Typ.) (TM)
Viewing Angle	88/88/88/88(Typ.)(CR?10)
Lamp Type	WLED, 50K hours, With LED Driver
Signal Interface	CMOS/TTL(1ch,6-bit),31pinsConnector
Panel Type	a-Si TFT-LCD, LCM
Mass	1.000Kg
Frame Rate	60Hz
Active Area	211.2(W)×158.4(H) mm
Outline	225.5(W)×176.3(H)×9.34(D) mm
Storage Temp	-30 ~ 80 °C
Operating Temp	-30 ~ 80 °C
Support Color	262K, 55% NTSC
Pixel Format	RGB Vertical Stripe
Active Area	211.2(W)×158.4(H) mm
Bezel Opening	215.4(W)×161.8(H) mm
Outline size	225.5(W)×176.3(H)×9.34(D) mm
Surface	Antiglare(Haze25%),Hardcoating(3H)

Response Time	-
Best View on	Symmetry
Work Mode	Super MVA, Normally Black, Transmissive
Display Colors	262K55%NTSC
Weight	395±50g
Frequency	60Hz
Touchscreen	Without
Signal Type	CMOS/TTL(1ch,6-bit),31pinsConnector
Voltage Supply	3.3/5.0V(Typ.)(VCC)

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about G104V1-T03. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

<https://www.zylcdshop.com>



<https://www.zylcdshop.com>

<https://www.zylcdshop.com>



<https://www.zylcdshop.com>