

Innolux AT070TN84 TP 7-Inch 800×480 LCD Panel Industrial Display Module

Model	AT070TN84 TP
Brand	INNOLUX
Category	Innolux
Size	7"
Resolution	800(RGB)×480, WVGA 133PPI
Brightness	360 cd/m ² (Typ.)
Contrast Ratio	500 : 1 (Typ.) (TM)
Viewing Angle	70/70/50/70(Typ.)(CR?10)
Lamp Type	WLED, 20K hours, With LED Driver
Signal Interface	TTL(1ch,6-bit),40pinsConnector
Panel Type	a-Si TFT-LCD, LCM
Mass	1.000Kg
Pixel Format	RGB Vertical Stripe
Active Area	152.4(W)×91.44(H) mm
Bezel Opening	155.0(W)×94.3(H) mm
Outline size	165 × 104× 6.8 (H×V×D)
Surface	Antiglare
Response Time	-
Best View on	6o'clock
Work Mode	TN, Normally White, Transmissive
Display Colors	262K
Weight	160g(Typ.)

Frequency	60Hz
Touchscreen	4-wire Resistive Touch
Signal Type	TTL(1ch,6-bit),40pinsConnector
Voltage Supply	3.3V(Typ.)(VCC)

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about AT070TN84 TP. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

