## LCD display G121ICE-L02 12.1 inch 1280\*800 Industrial screen

Model	G121ICE-L02
Brand	INNOLUX
Category	<u>Innolux</u>
Size	12.1"
Resolution	1280(RGB)×800, WXGA 124PPI
Brightness	400 cd/m² (Typ.)
Contrast Ratio	1000 : 1 (Typ.) (TM)
Viewing Angle	89/89/89 (Typ.)(CR?10)
Lamp Type	WLED , 30K hours , With LED Driver
Signal Interface	LVDS (1 ch, 6/8-bit), 30 pins Connector
Panel Type	a-Si TFT-LCD, LCM
Mass	1.500Kg
Frame Rate	60Hz
Active Area	261.12(W)×163.2(H) mm
Outline	278(W)×184(H) ×10.5(D) mm
Storage Temp	-20 ~ 70 °C
Operating Temp	-20 ~ 70 °C
Support Color	262K/16.7M 72% NTSC

## Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about G121ICE-L02. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

## https://www.zylcdshop.com



https://www.zylcdshop.com

## https://www.zylcdshop.com



https://www.zylcdshop.com