

# LQ043T3DX0D Sharp 4.3" a-Si TFT-LCD LCM 480(RGB)×272

|                  |                                   |
|------------------|-----------------------------------|
| Model            | LQ043T3DX0D                       |
| Brand            | SHARP                             |
| Category         | <a href="#">SHARP</a>             |
| Size             | 4.3"                              |
| Resolution       | 480(RGB)×272, WQVGA 128PPI        |
| Brightness       | 230 (Typ.)(cd/m <sup>2</sup> )    |
| Contrast Ratio   | 400 : 1 (Typ.) (TM)               |
| Viewing Angle    | GoodViewat                        |
| Lamp Type        | 7S1P WLED, No Driver              |
| Signal Interface | ParallelRGB(1ch,8-bit),40pinsFPC  |
| Panel Type       | a-Si TFT-LCD, LCM                 |
| Mass             | 0.500Kg                           |
| Pixel Format     | RGB Vertical Stripe               |
| Active Area      | 95.04(W)×53.856(H) mm             |
| Bezel Opening    | 98.7(W)×57.5(H) mm                |
| Outline size     | 105.5(W)×67.2(H)×4.25(D)          |
| Surface          | -                                 |
| Response Time    | -                                 |
| Best View on     | ColorDepth                        |
| Work Mode        | ASV, Normally Black, Transmissive |
| Display Colors   | Mass                              |
| Weight           | RefreshRate                       |
| Frequency        | GoodViewat                        |

|                |                                  |
|----------------|----------------------------------|
| Touchscreen    | Without                          |
| Signal Type    | ParallelRGB(1ch,8-bit),40pinsFPC |
| Voltage Supply | 2.5/5.0V(Typ.)(VCC/AVDD)         |

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about LQ043T3DX0D. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

