

Mitsubishi AA065VB08 6.5" 640×480 Industrial Display

Model	AA065VB08
Brand	Mitsubishi
Category	MITSUBISHI
Size	6.5"
Resolution	640(RGB)×480, VGA 122PPI
Brightness	600 cd/m ² (Typ.)
Contrast Ratio	750:1 (Typ.) (TM)
Viewing Angle	80/80/80/60(Typ.)(CR?10)
Lamp Type	CCFL [2 pcs], 50K hours, W/O Driver
Signal Interface	CMOS(1ch,6-bit),31pinsConnector
Panel Type	a-Si TFT-LCD, LCM
Mass	0.500Kg
Pixel Format	RGB Vertical Stripe
Active Area	132.48(W)×99.36(H) mm
Bezel Opening	135.5(W)×102.4(H) mm
Outline size	154(H)×121(V)×11.5(D) mm
Surface	Hardcoating(2H),Antireflection
Response Time	-
Best View on	6o'clock
Work Mode	TN, Normally White, Transmissive
Display Colors	262K41%NTSC
Weight	205g(Typ.)
Frequency	60Hz

Touchscreen	Without
Signal Type	CMOS(1ch,6-bit),31pinsConnector
Voltage Supply	3.3V(Typ.)

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about AA065VB08. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

