

# SP14Q006 KOE 5.7" 320×240 FSTN-LCD LCM

|                  |                                     |
|------------------|-------------------------------------|
| Model            | SP14Q006                            |
| Brand            | KOE                                 |
| Category         | <a href="#">KOE</a>                 |
| Size             | 5.7"                                |
| Resolution       | 320×240, QVGA 70PPI                 |
| Brightness       | 150 cd/m <sup>2</sup> (Typ.)        |
| Contrast Ratio   | 25:1 (Typ.) (TM)                    |
| Viewing Angle    | BestViewon                          |
| Lamp Type        | WLED , 40K hours , Without Driver   |
| Signal Interface | ParallelData(1ch,4-bit),14pinsFPC   |
| Panel Type       | FSTN-LCD, LCM                       |
| Mass             | 0.500Kg                             |
| Pixel Format     | Rectangle                           |
| Active Area      | 115.185(W)×86.385(H) mm             |
| Bezel Opening    | 122.0(W)×92.0(H) mm                 |
| Outline size     | 167(W)×109(H)×10(D) mm              |
| Surface          | -                                   |
| Response Time    | -                                   |
| Best View on     | DisplayColors                       |
| Work Mode        | STN, Black/White mode, Transmissive |
| Display Colors   | Frequency                           |
| Weight           | -                                   |
| Frequency        | Weight                              |

|                |                                   |
|----------------|-----------------------------------|
| Touchscreen    | WLED , 40K hours , Without Driver |
| Signal Type    | ParallelData(1ch,4-bit),14pinsFPC |
| Voltage Supply | 3.3/5.0V(Typ.)(VDD)               |

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about SP14Q006. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!



