

# TM035HBHT6 Tianma 3.5" a-Si TFT-LCD LCM 240(RGB)×320 QVGA 113PPI

|                  |                                      |
|------------------|--------------------------------------|
| Model            | TM035HBHT6                           |
| Brand            | TIANMA                               |
| Category         | <a href="#">TIANMA</a>               |
| Size             | 3.5"                                 |
| Resolution       | 240(RGB)×320, QVGA 113PPI            |
| Brightness       | 80 cd/m <sup>2</sup> (Typ.)          |
| Contrast Ratio   | 150 : 1 (Typ.) (TM)2.5:1 (Typ.) (RF) |
| Viewing Angle    | 40/45/55/40(Typ.)(CR?10)             |
| Lamp Type        | 6S1PWLED, 20K hours, No Driver       |
| Signal Interface | ParallelRGB(1ch,6-bit)+SPI,FPC50pins |
| Panel Type       | a-Si TFT-LCD, LCM                    |
| Mass             | 0.500Kg                              |
| Pixel Format     | RGB Vertical Stripe                  |
| Active Area      | 53.64(W)×71.52(H) mm                 |
| Bezel Opening    | -                                    |
| Outline size     | 64×85×4.43 (H×V×D)                   |
| Surface          | Hardcoating                          |
| Response Time    | 35 (Typ.)(Tr+Td) ms                  |
| Best View on     | 6o'clock                             |
| Work Mode        | -                                    |
| Display Colors   | 262K37%NTSC                          |
| Weight           | 44.4g                                |

|                |                                      |
|----------------|--------------------------------------|
| Frequency      | -                                    |
| Touchscreen    | 4-wire Resistive Touch               |
| Signal Type    | ParallelRGB(1ch,6-bit)+SPI,FPC50pins |
| Voltage Supply | 2.8/15.0/-10.0V(Typ.)(VCC/VGH/VGL)   |

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about TM035HBHT6. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

