

# TX14D203VM0BAA KOE 5.7" a-Si TFT-LCD LCM 640(RGB)×480 VGA 141PPI

|                  |                                    |
|------------------|------------------------------------|
| Model            | TX14D203VM0BAA                     |
| Brand            | KOE                                |
| Category         | <a href="#">KOE</a>                |
| Size             | 5.7"                               |
| Resolution       | 640(RGB)×480, VGA 141PPI           |
| Brightness       | 1000 cd/m <sup>2</sup> (Typ.)      |
| Contrast Ratio   | 1000:1 (Typ.) (TM)                 |
| Viewing Angle    | 85/85/85/85(Typ.)(CR?10)           |
| Lamp Type        | WLED [3S9P], 50K hours, W/O Driver |
| Signal Interface | CMOS(1ch,6-bit),40pinsConnector    |
| Panel Type       | a-Si TFT-LCD, LCM                  |
| Mass             | 0.500Kg                            |
| Pixel Format     | RGB Vertical Stripe                |
| Active Area      | 115.2(W)×86.4(H) mm                |
| Bezel Opening    | 117(W)×88.2(H) mm                  |
| Outline size     | 131(H)×102.2(V)×8.1(D) mm          |
| Surface          | - Luminance                        |
| Response Time    | 25 (Typ.)(Tr+Td)                   |
| Best View on     | Symmetry                           |
| Work Mode        | IPS, Normally Black, Transmissive  |
| Display Colors   | 262K60%NTSC                        |
| Weight           | 104g(Typ.)                         |
| Frequency        | 60Hz                               |

|                |                                 |
|----------------|---------------------------------|
| Touchscreen    | Without                         |
| Signal Type    | CMOS(1ch,6-bit),40pinsConnector |
| Voltage Supply | 3.3V(Typ.)                      |

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about TX14D203VM0BAA. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

