

# TX14D24VM1BPA KOE 5.7 inch 320\*240 lcd display panel

Model	TX14D24VM1BPA
Brand	KOE
Category	<a href="#">KOE</a>
Size	5.7"
Resolution	320(RGB)x240, QVGA 70PPI
Brightness	360 cd/m <sup>2</sup> (Typ.)
Contrast Ratio	600 : 1 (Min.) (TM)
Viewing Angle	60/60/75/55(Typ.)(CR?10)
Lamp Type	3S5PWLED, 50K hours, With LED Driver
Signal Interface	ParallelRGB(1ch,6-bit),40pinsConnector
Panel Type	a-Si TFT-LCD, LCM
Mass	1.500Kg
Frame Rate	60Hz
Active Area	115.2x86.4 mm (HxV)
Outline	167x109x11.2 mm (HxVxD)
Storage Temp	-30 ~ 80 °C
Operating Temp	-20 ~ 70 °C
Support Color	262K, 60% NTSC
Pixel Format	RGB Vertical Stripe
Active Area	115.2(W)x86.4(H) mm
Bezel Opening	-
Outline size	167(W)x109(H)x11.2(D) mm
Surface	Antiglare,Hardcoating(3H) Luminance

Response Time	45 (Typ.)(Tr+Td) ms
Best View on	12o'clock
Work Mode	TN, Normally White, Transmissive
Display Colors	262K60%NTSC
Weight	220g(Typ.)
Frequency	60Hz
Touchscreen	4-wire Resistive Touch
Signal Type	ParallelRGB(1ch,6-bit),40pinsConnector
Voltage Supply	3.3V(Typ.)

Note:

zylcdshop.com recommends that you inquire with the original factory or its agents about the latest production status and technical information about TX14D24VM1BPA. The product parameters displayed on zylcdshop.com are entered by zylcdshop.com engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

